

DATE: 31.07.2023

ADPL/GPD/EHS/036

To,

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY,
3RD Floor , Panagal Maligai ,
No.1 Jeenis Road , Saidapet ,
Chennai -600015, Tamilnadu.

cc. 1. TNPCB (GUMMIDIPONDY)

Respected Sir,

Sub: Submission of Environmental Clearance (EC) Condition Compliance Report
Letter No. SEIAA/TN/F.6427/5(F)/EC- 57/2017 dt. 24.01.2018.

With reference to the above subject, we are hereby submitting the Environmental Clearance – Condition Compliance report.

Kindly receive and acknowledge the same.

For Anjan Drug Private Limited.


31/07/23
Authorized Signatory.





CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 1 of 5

Report No: 23030226.01

Discipline : Chemical

ULR-TC761823000001390F

Report Date: 10/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi - 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.01

Sampled On : 31/03/2023

Sample Name : Air

Sample Received On : 01/04/2023

Sample Description : Ambient Air Quality Monitoring

Sampling Location : On top of scarf holding
near water sump-NE

Sample Condition : Good

Sampling Procedure : IS 5182

Sample Quantity : NA

Equipment Used : CVR/CH/020

CVR/CH/030

Sampled By : CVR Labs

Test Started On : 01/04/2023

Customer Code : NA

Test Completed On : 10/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	28.23	80
2	Nitrogen dioxide as NO ₂	IS 5182(Part-6)	µg/m ³	40.88	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	59.50	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	28.28	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON- dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit DL : Detection Limit. NAAQS : National Ambient Air Quality Standard.

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009, against the above tested parameters.

Anjan
10/04/2023 (G. Dmran)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nikhil
K.B. WIRNALA
Authorised Signatory
10/04/2023

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 2 of 5

Report No: 23030226.02

Discipline : Chemical

ULR-TC761823000001391F

Report Date: 10/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi - 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.02

Sampled On : 31/03/2023

Sample Name : Air

Sample Received On : 01/04/2023

Sample Description : Ambient Air Quality Monitoring

Sampling Location : On top of scarf holding
near NRM store-N

Sample Condition : Good

Sampling Procedure : IS 5182

Sample Quantity : NA

Equipment Used : CVR/CH/021
CVR/CH/032

Sampled By : CVR Labs

Test Started On : 01/04/2023

Customer Code : NA

Test Completed On : 10/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	29.18	80
2	Nitrogen dioxide asNO ₂	IS 5182(Part-6)	µg/m ³	41.75	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	55.90	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	24.32	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON- dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit **DL** : Detection Limit. **NAAQS** : National Ambient Air Quality Standard.

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009,against the above tested parameters.

Janu
10/04/2023 (G. Dissanayake)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala
K.B. NIRMALA
Authorised Signatory
10/04/2023

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 3 of 5

Report No: 23030226.03

Discipline : Chemical

ULR-TC761823000001392F

Report Date: 10/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi - 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.03

Sample Name : Air

Sample Description : Ambient Air Quality Monitoring

Sample Condition : Good

Sample Quantity : NA

Sampled On : 31/03/2023

Sample Received On : 01/04/2023

Sampling Location : On top of scarf holding
near DG-NW

Sampling Procedure : IS 5182

Equipment Used : CVR/CH/022

CVR/CH/033

Sampled By : CVR Labs

Test Started On : 01/04/2023

Customer Code : NA

Test Completed On : 10/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	28.20	80
2	Nitrogen dioxide as NO ₂	IS 5182(Part-6)	µg/m ³	42.59	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	55.65	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	25.20	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON-dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit **DL** : Detection Limit. **NAAQS** : National Ambient Air Quality Standard.

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009, against the above tested parameters.

Imran (G. Imran)
10/04/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nishala
K. NISHALA
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not be used in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 4 of 5

Report No: 23030226.04

Discipline : Chemical

ULR-TC761823000001393F

Report Date: 10/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.04

Sample Name : Air

Sample Description : Ambient Air Quality Monitoring

Sample Condition : Good

Sample Quantity : NA

Sampled On : 31/03/2023

Sample Received On : 01/04/2023

Sampling Location : On top of scarf holding
near ETP-SW

Sampling Procedure : IS 5182

Equipment Used : CVR/CH/024

CVR/CH/034

Sampled By : CVR Labs

Customer Code : NA

Test Started On : 01/04/2023

Test Completed On : 10/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	25.69	80
2	Nitrogen dioxide as NO ₂	IS 5182(Part-6)	µg/m ³	41.26	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	54.16	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	27.77	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON- dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit **DL** : Detection Limit. **NAAQS** : National Ambient Air Quality Standard.

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009, against the above tested parameters.

Anjan
10/04/2023 (G. Prasad)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala
A. B. NIRMALA
Authorised Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 5 of 5

Report No: 23030226.05

Discipline : Chemical

ULR-TC761823000001394F

Report Date: 10/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.05

Sample Name : Air

Sample Description : Ambient Air Quality Monitoring

Sample Condition : Good

Sample Quantity : NA

Sampled On : 31/03/2023

Sample Received On : 01/04/2023

Sampling Location : On top of scarf holding
near Ware house-II-SE

Sampling Procedure : IS 5182

Equipment Used : CVR/CH/255

CVR/CH/252

Sampled By : CVR Labs

Customer Code : NA

Test Started On : 01/04/2023

Test Completed On : 10/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	26.28	80
2	Nitrogen dioxide as NO ₂	IS 5182(Part-6)	µg/m ³	38.61	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	58.43	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	26.50	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON- dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit **DL** : Detection Limit. **NAAQS** : National Ambient Air Quality Standard.

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009, against the above tested parameters.

Anjan (G. Dimran)
10/04/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala
K.B. NIRMALA
Authorized Signatory
10/04/2023

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not be used in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 1 of 10

Report No: 23030226.06

Discipline : Chemical

ULR-TC761823000001395F

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi - 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030226.06	Sampled On	: 31/03/2023
Sample Name	: Emission	Sample Received On	: 01/04/2023
Sample Description	: Emission	Sampling Location	: Boiler-12273- T (6000 Kg/hr)
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 01/04/2023
Customer Code	: NA	Test Completed On	: 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	418	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	12.02	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	8705.43	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	52.18	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	mg/Nm ³	160.72	-
6	Carbon monoxide(CO)	IS 13270	ppm	86	-
7	Carbon Dioxide(CO ₂)	IS 13270	%	8.5	-
8	Oxygen(O ₂)	IS 13270	%	12.1	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	mg/Nm ³	18.03	150

Jura
03/04/2023 (G. Dmran)

Verified By

.....cont.....

For CVR LABS (P) LIMITED

Nidhana
K.B. NIRMALA
Authorized Signatory
03/04/2023

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669. ✉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 2 of 10

Report No: 23030226.06

Discipline : Chemical

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030226.06	Sampled On	: 31/03/2023
Sample Name	: Emission	Sample Received On	: 01/04/2023
Sample Description	: Emission	Sampling Location	: Boiler-12273- T (6000 Kg/hr)
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 01/04/2023
Customer Code	: NA	Test Completed On	: 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	2.31

Uma (G. Dmran)
03/04/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala.K.B
K.B. NIRMALA
Authorized Signatory
03/04/2023



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 3 of 10

Report No: 23030226.07

Discipline : Chemical

ULR-TC761823000001396F

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.07

Sampled On : 31/03/2023

Sample Name : Emission

Sample Received On : 01/04/2023

Sample Description : Emission

Sampling Location : Boiler-15-2275(3000 kg/hr)

Sample Condition : Good

Sampling Procedure : IS 11255

Sample Quantity : NA

Equipment Used : CVR/CH/017

Sampled By : CVR Labs

Test Started On : 01/04/2023

Customer Code : NA

Test Completed On : 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	411	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	10.61	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	7814.09	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	36.00	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	mg/Nm ³	138.92	-
6	Carbon monoxide(CO)	IS 13270	ppm	72	-
7	Carbon Dioxide(CO ₂)	IS 13270	%	6.0	-
8	Oxygen(O ₂)	IS 13270	%	13.6	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	mg/Nm ³	16.5	150

June (G. Prman)
03/04/2023

Verified By

.....cont.....

For CVR LABS (P) LIMITED

Niranjana K.B
03/04/2023
NIRMALA
Authorised Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 4 of 10

Report No: 23030226.07

Discipline : Chemical

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Report Date: 03/04/2023

Group: Atmospheric pollution

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030226.07	Sampled On	: 31/03/2023
Sample Name	: Emission	Sample Received On	: 01/04/2023
Sample Description	: Emission	Sampling Location	: Boiler-15-2275(3000 kg/hr)
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 01/04/2023
Customer Code	: NA	Test Completed On	: 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	2.31

Amra (G. Imran)
03/04/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirongal.K.R
K.B. NIRMALA
ADDITIONAL SIGNATORY
03/04/2023



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 5 of 10

Report No: 23030226.08

Discipline : Chemical

ULR-TC761823000001397F

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi - 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030226.08	Sampled On	: 31/03/2023
Sample Name	: DG Stack Emission	Sample Received On	: 01/04/2023
Sample Description	: DG Stack Emission	Sampling Location	: DG-320KVA - I
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 01/04/2023
Customer Code	: NA	Test Completed On	: 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	452	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	15.24	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	2551.47	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	31.01	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	g/kw-hr	2.30	≤4.0
6	Carbon monoxide(CO)	IS 13270	g/kw-hr	0.63	≤3.5
7	Carbon Dioxide(CO ₂)	IS 13270	%	5.0	-
8	Oxygen(O ₂)	IS 13270	%	16.2	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	g/kw-hr	0.180	≤0.2

Amra (G. Dmran)
03/04/2023

Verified By

.....cont.....

For CVR LABS (P) LIMITED

Nirmala
K.E. NIRMALA
Authorized Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 6 of 10

Report No: 23030226.08

Discipline : Chemical

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address: **M/s. Anjan Drugs Pvt Ltd.,**
Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi - 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030226.08	Sampled On	: 31/03/2023
Sample Name	: DG Stack Emission	Sample Received On	: 01/04/2023
Sample Description	: DG Stack Emission	Sampling Location	: DG-320KVA - I
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 01/04/2023
Customer Code	: NA	Test Completed On	: 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	0.93

Jura
03/04/2023 (G. Dmran)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala
K.B. NIRMALA
03/04/2023



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

03/04/23

TEST REPORT

Page 7 of 10

Report No: 23030226.09

Discipline : Chemical

ULR-TC761823000001398F

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi - 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.09

Sampled On : 31/03/2023

Sample Name : DG Stack Emission

Sample Received On : 01/04/2023

Sample Description : DG Stack Emission

Sampling Location : DG-320KVA - II

Sample Condition : Good

Sampling Procedure : IS 11255

Sample Quantity : NA

Equipment Used : CVR/CH/017

Sampled By : CVR Labs

Test Started On : 01/04/2023

Customer Code : NA

Test Completed On : 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	455	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	15.78	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	2624.81	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	27.39	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	g/kw-hr	2.27	≤4.0
6	Carbon monoxide(CO)	IS 13270	g/kw-hr	0.63	≤3.5
7	Carbon Dioxide(CO ₂)	IS 13270	%	4.9	-
8	Oxygen(O ₂)	IS 13270	%	16.0	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	g/kw-hr	0.185	≤0.2

Imran
03/04/2023 (G. Imran)

Verified By

.....cont.....

For CVR LABS (P) LIMITED

K.B. Nirmala
K.B. NIRMALA
Authorised Signatory
03/04/2023



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

03/04

TEST REPORT

Page 8 of 10

Report No: 23030226.09

Discipline : Chemical

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030226.09	Sampled On	: 31/03/2023
Sample Name	: DG Stack Emission	Sample Received On	: 01/04/2023
Sample Description	: DG Stack Emission	Sampling Location	: DG-320KVA - II
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 01/04/2023
Customer Code	: NA	Test Completed On	: 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	0.93

Verified By
03/04/2023 (G. Prman)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

K.S. NIRMALA
AUTHORISED SIGNATORY



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

030226

TEST REPORT

Page 9 of 10

Report No: 23030226.10

Discipline : Chemical

ULR-TC761823000001399F

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi - 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.10

Sampled On : 31/03/2023

Sample Name : DG Stack

Sample Received On : 01/04/2023

Sample Description : DG Stack Emission

Sampling Location : DG- 320 KVA -III

Sample Condition : Good

Sampling Procedure : IS 11255

Sample Quantity : NA

Equipment Used : CVR/CH/017

Sampled By : CVR Labs

Test Started On : 01/04/2023

Customer Code : NA

Test Completed On : 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	464	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	16.06	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	2619.57	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	35.25	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	g/kw-hr	2.41	≤4.0
6	Carbon monoxide(CO)	IS 13270	g/kw-hr	0.67	≤3.5
7	Carbon Dioxide(CO ₂)	IS 13270	%	5.3	-
8	Oxygen(O ₂)	IS 13270	%	15.9	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	g/kw-hr	0.189	≤0.2

G. Durran
03/04/2023

Verified By

.....cont.....

For CVR LABS (P) LIMITED

K.B. Nirmala
K.B. NIRMALA
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 10 of 10

Report No: 23030226.10

Discipline : Chemical

Report Date: 03/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030226.10	Sampled On	: 31/03/2023
Sample Name	: DG Stack	Sample Received On	: 01/04/2023
Sample Description	: DG Stack Emission	Sampling Location	: DG- 320 KVA –III
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 01/04/2023
Customer Code	: NA	Test Completed On	: 03/04/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	0.93

Imran
03/04/2023 (G.Imran)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala
K.B. NIRMALA
Authorized Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85

☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 1 of 1

Report No: 23030226.11-15

Discipline : Chemical

ULR-TC761823000001400F

Report Date: 01/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.11-15

Sampled On : 31/03/2023

Sample Name : Noise

Sample Received On : 01/04/2023

Sample Description : Ambient Noise Level Monitoring

Sampling Location : -

Sample Condition : Good

Sampling Procedure : IS 9989

Sample Quantity : NA

Equipment Used : CVR/CH/058

Sampled By : CVR Labs

Test Started On : 01/04/2023

Customer Code : NA

Test Completed On : 01/04/2023

SL.No	Name of the Location	Sound Pressure Level in dB(A)		CPCB standards (Industrial area) for Sound Pressure Level in dB(A)	
		Day Time	Night Time	Day Limit	Night Limit
1	Near Water Sump	63.1	58.1	75	70
2	Near NRM Store	61.4	56.5		
3	Near DG	60.8	59.2		
4	Near ETP	62.5	60.5		
5	Near Ware House - II	60.1	58.1		

(G. Dharan)
01/04/2023
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala
K.P. NIRMALA
Authorised Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 1 of 1

Report No: 23030226.16-.18

Discipline : Chemical

ULR-TC761823000001401F

Report Date: 01/04/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drugs Pvt Ltd.,

Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park (EPIP),
Gummidipoondi – 601 201.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030226.16-.18

Sampled On : 31/03/2023

Sample Name : DG Noise

Sample Received On : 01/04/2023

Sample Description : DG Noise Monitoring

Sampling Location : -

Sample Condition : Good

Sampling Procedure : IS 8528

Sample Quantity : NA

Equipment Used : CVR/CH/ 059

Sampled By : CVR Labs

Test Started On : 01/04/2023

Customer Code : NA

Test Completed On : 01/04/2023

S.No	Name of the Location	Sound Pressure Level in dB(A)		
		Open Condition	Close Condition	CPCB Norms
1	DG - I - 320 KVA (E.NO-25319884)	94.5	72.4	75
2	DG - II - 320 KVA (E.NO-25358322)	97.6	73.2	
3	DG -III - 320 KVA (E.NO-6320PSP-11N71)	95.4	71.9	

(G. Anjan)
01/04/2023

Verified By


***** END OF REPORT *****

For CVR LABS (P) LIMITED

(K.R. Nirmala)
K.R. NIRMALA
Authorized Signatory

Tax Invoice

(DUPLICATE FOR SUPPLIER)

 CVR LABS PVT. LTD., (2022-23) Dignity Centre, 2nd Floor, New No.2/9, Old No.21, Abdul Razack Street, Saidapet, Chennai-600 015. Ph.044 - 24330382 -385 GSTIN/UIN: 33AABCC1819M1ZS State Name : Tamil Nadu, Code : 33 CIN: U74140TN1999PTC043582	Invoice No. GST/2023-24/0049	Dated 17-Apr-23
	Delivery Note	Mode/Terms of Payment Net 30 Days
	Reference No. & Date. 23030226 dt. 31-Mar-23	Other References
Buyer (Bill to) Anjan Drug Private Limited Plot No. 85-88, 105-109 & 112-116, SIPCOT Industrial Park(EPIP)Gummidipoondi - 601 201, GSTIN/UIN : 33AAACA5168N1ZJ State Name : Tamil Nadu, Code : 33	Buyer's Order No. So No.SPO/G/2223/2261092	Dated 26-Mar-23
	Dispatch Doc No.	Delivery Note Date
	Dispatched through	Destination
	Terms of Delivery	

Sl No.	Particulars	HSN/SAC	Amount
1	Ambient Air Quality Monitoring <i>Rs.5500 * 5 Qty</i>	998346	27,500.00
2	DG Stack Monitoring <i>Rs.2500 * 2 Qty</i>	998346	5,000.00
3	Stack Monitoring <i>Rs.2500 * 3 Qty</i>	998346	7,500.00
4	Noise Monitoring <i>Rs.250 * 5 Qty</i>	998346	1,250.00
5	DG Stack Monitoring <i>Rs.500 * 3 Qty</i>	998346	1,500.00
6	Transportation Charges <i>Rs.2000 Per Trip</i>	998346	2,000.00
	SGST@9%		4,027.50
	CGST@9%		4,027.50
	Total		₹ 52,805.00

Amount Chargeable (in words) E. & O.E

Indian Rupees Fifty Two Thousand Eight Hundred Five Only

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
998346	44,750.00	9%	4,027.50	9%	4,027.50	8,055.00
Total	44,750.00		4,027.50		4,027.50	8,055.00

Tax Amount (in words) : **Indian Rupees Eight Thousand Fifty Five Only**

Company's Service Tax No. : **AABCC1819MSD001**
 Company's PAN : **AABCC1819M**

Company's Bank Details

Bank Name : **Indian Bank**
 A/c No. : **6058005317**
 Branch & IFS Code : **Guindy & IDIB000G020**

Declaration

we declare that this invoice shows the actual price of the testing and analysis described and that all particulars are true and correct.

Terms & Conditions

24% PA Interest will be charged for delayed payment

for CVR LABS PVT. LTD., (2022-23)



 Authorized Signatory

This is a Computer Generated Invoice