



DATE: 27.07.2023

ADPL/ALT/EHS/035

To,

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY,

3RD Floor , Panagal Maligai ,

No.1 Jeenis Road , Saidapet ,

Chennai -600015, Tamilnadu.

cc. 1. TNPCB (Maraimalainagar)

Respected Sir,

**Sub: Submission of Environmental Clearance (EC) Condition Compliance Report
Letter No. SEIAA/TN/F.6427/5(F)/EC- 57/2017 dt. 24.01.2018.**

With reference to the above subject, we are hereby submitting the Environmental Clearance – Condition Compliance report.

Kindly receive and acknowledge the same.

For Anjan Drug Private Limited.

Authorized Signatory.





CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

052321

TEST REPORT

Page 1 of 5

Report No: 23030014.06

Discipline : Chemical

ULR-TC76182300000953F

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030014.06

Sampled On : 01/03/2023

Sample Name : DG Stack Emission

Sample Received On : 02/03/2023

Sample Description : DG Stack Emission

Sampling Location : DG 320 KVA

Sample Condition : Good

Sampling Procedure : IS 11255

Sample Quantity : NA

Equipment Used : CVR/CH/017

Sampled By : CVR Labs

Test Started On : 03/03/2023

Customer Code : NA

Test Completed On : 06/03/2023

SL.NO	TEST PARAMETER (S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	462	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	15.17	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	2484.78	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	21.91	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	g/kw-hr	2.47	≤4.0
6	Carbon monoxide(CO)	IS 13270	g/kw-hr	0.86	≤3.5
7	Carbon Dioxide(CO ₂)	IS 13270	%	6.2	-
8	Oxygen(O ₂)	IS 13270	%	12.3	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	g/kw-hr	0.185	≤0.2

Mr. G. Dhanraj
06/03/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala K.B.
K.B. NIRMALA
Authorized Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not be used in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 1 of 5

052322

Report No: 23030014.06

Discipline : Chemical

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I,
Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.06	Sampled On	: 01/03/2023
Sample Name	: DG Stack Emission	Sample Received On	: 02/03/2023
Sample Description	: DG Stack Emission	Sampling Location	: DG 320 KVA
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER (S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	0.47

Jure (G. Dorman)
06/03/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nidhala K.B.
K.B. NIRMALA
Authorised Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 11 2433 0382 to 85
☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 2 of 5

Report No: 23030014.07

Discipline : Chemical

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I,
Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Report Date: 06/03/2023

Group: Atmospheric pollution

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.07	Sampled On	: 01/03/2023
Sample Name	: DG Stack Emission	Sample Received On	: 02/03/2023
Sample Description	: DG Stack Emission	Sampling Location	: DG 250KVA
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	462	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	15.56	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	2549.00	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	37.09	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	g/kw-hr	3.21	≤4.0
6	Carbon monoxide(CO)	IS 13270	g/kw-hr	1.02	≤3.5
7	Carbon Dioxide(CO ₂)	IS 13270	%	6.1	-
8	Oxygen(O ₂)	IS 13270	%	12.8	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	g/kw-hr	0.167	≤0.2

Anura
06/03/2023 (G. Durran)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala K.R

K.B. NIRMALA
Authorized Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 2 of 5

Report No: 23030014.07

Discipline : Chemical

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I.,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.07	Sampled On	: 01/03/2023
Sample Name	: DG Stack Emission	Sample Received On	: 02/03/2023
Sample Description	: DG Stack Emission	Sampling Location	: DG 250KVA
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	0.47

[Signature]
06/03/2023 (G. Imran)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

[Signature]
K. NIRMALA
Authorised Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

059075

TEST REPORT

Page 3 of 5

Report No: 23030014.08

Discipline : Chemical

CUSTOMER DETAILS

Customer Name & Address:

ULR-TC76182300000955F

Report Date: 06/03/2023

Group: Atmospheric pollution

M/s. Anjan Drug Private Ltd - Unit-I.,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.08	Sampled On	: 01/03/2023
Sample Name	: DG Stack Emission	Sample Received On	: 02/03/2023
Sample Description	: DG Stack Emission	Sampling Location	: Boiler - 3 Ton
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	393	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	11.33	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	8723.09	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	37.64	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	mg/Nm ³	163.74	-
6	Carbon monoxide(CO)	IS 13270	ppm	69	-
7	Carbon Dioxide(CO ₂)	IS 13270	%	7.6	-
8	Oxygen(O ₂)	IS 13270	%	10.1	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	mg/Nm ³	20.06	150

Anura
06/03/2023 (G. Dmran)
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala
K.B. NIRMALA
Authorised Signatory
06/03/2023

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saldapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

030026

TEST REPORT

Page 3 of 5

Report No: 23030014.08

Discipline : Chemical

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I.,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.08	Sampled On	: 01/03/2023
Sample Name	: DG Stack Emission	Sample Received On	: 02/03/2023
Sample Description	: DG Stack Emission	Sampling Location	: Boiler - 3 Ton
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER (S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	0.47

Imran (G. Imran)
06/03/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala K.B.
06/03/2023
N.B. NIRMALA
Authorised Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 4 of 5

Report No: 23030014.09

Discipline : Chemical

CUSTOMER DETAILS

Customer Name & Address:

ULR-TC76182300000956F

Report Date: 06/03/2023

Group: Atmospheric pollution

M/s. Anjan Drug Private Ltd - Unit-I,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.09	Sampled On	: 01/03/2023
Sample Name	: Source Emission	Sample Received On	: 02/03/2023
Sample Description	: Source Emission	Sampling Location	: Boiler - 1.5 Ton
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	388	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	11.50	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	8969.25	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/Nm ³	44.15	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	mg/Nm ³	122.60	-
6	Carbon monoxide(CO)	IS 13270	ppm	89	-
7	Carbon Dioxide(CO ₂)	IS 13270	%	7.8	-
8	Oxygen(O ₂)	IS 13270	%	10.1	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	mg/Nm ³	18.08	150

Anura
06/03/2023
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nithya
K.B. NIRMALA
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

0799278

TEST REPORT

Page 4 of 5

Report No: 23030014.09

Discipline : Chemical

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.09	Sampled On	: 01/03/2023
Sample Name	: Source Emission	Sample Received On	: 02/03/2023
Sample Description	: Source Emission	Sampling Location	: Boiler - 1.5 Ton
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	0.47

Anura (G. Imran)
06/03/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

K. B. S. MALA
06/03/2023
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9441709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

TEST REPORT

Page 5 of 5

Report No: 23030014.10

Discipline : Chemical

ULR-TC761823000000957

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I,
Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.10	Sampled On	: 01/03/2023
Sample Name	: Source Emission	Sample Received On	: 02/03/2023
Sample Description	: Source Emission	Sampling Location	: Spray Dryer
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER CPCB
1	Stack Temperature	CVR/SOP/ENVI/100	K	309	-
2	Velocity of the Flue Gas	EPA Method1-3	m/sec	13.07	-
3	Flue Gas Discharge	IS 11255 (Part-3)	Nm ³ /hr	5691.10	-
4	Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	mg/m ³	BDL(DL:1.	-
5	Oxides of Nitrogen(NO _x)	IS 11255 (Part-7)	mg/Nm ³	1.81	-
6	Carbon monoxide(CO)	IS 13270	ppm	2	-
7	Carbon Dioxide(CO ₂)	IS 13270	%	0.01	-
8	Oxygen(O ₂)	IS 13270	%	20.9	-
9	Particulate Matter (PM)	IS 11255 (Part-1)	mg/Nm ³	10.5	150

BDL : Below Detection Limit DL : Detection Limit.

Anura
06/03/2023 (G. Dissanayake)
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED
Nirmala
06/03/2023
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not be used in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

072330

TEST REPORT

Page 5 of 5

Report No: 23030014.10

Discipline : Chemical

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I.,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.10	Sampled On	: 01/03/2023
Sample Name	: Source Emission	Sample Received On	: 02/03/2023
Sample Description	: Source Emission	Sampling Location	: Spray Dryer
Sample Condition	: Good	Sampling Procedure	: IS 11255
Sample Quantity	: NA	Equipment Used	: CVR/CH/017
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS
1	Moisture Content	EPA Method1-3	%	0.47

Anjan
06/03/2023 (G. Anjan)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala
K.B. NIRMALA
Authorized Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

0799331

TEST REPORT

Page 1 of 1

Report No: 23030014.11-.15

Discipline : Chemical

ULR-TC76182300000958F

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address: **M/s. Anjan Drug Private Ltd - Unit-I,**
Plot No. 109, 110,115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.11-.15	Sampled On	: 01/03/2023
Sample Name	: Noise	Sample Received On	: 02/03/2023
Sample Description	: Ambient Noise Level Monitoring	Sampling Location	: NA
Sample Condition	: Good	Sampling Procedure	: IS 9989
Sample Quantity	: NA	Equipment Used	: CVR/CH/058
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.No	Name of the Location	Sound Pressure Level in dB(A)	CPCB standards (Industrial area) for Sound Pressure Level in dB(A),
		Day Time	Day Limit
1	Near STP Plant Area	64.8	75
2	Near Boiler House Area	66.5	
3	Near Engineering Store	62.3	
4	Near Nitrogen Generation Plant	60.9	
5	Near DG Plant Area	63.7	

Jure (G. Dmsan)
06/03/2023

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala K.B.
K.B. NIRMALA
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 1 of 1

079832

Report No: 23030014.16 -17

Discipline : Chemical

ULR-TC76182300000959F

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I,
Plot No. 109, 110,115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.16 -17	Sampled On	: 01/03/2023
Sample Name	: DG Noise Monitoring	Sample Received On	: 02/03/2023
Sample Description	: DG Noise Monitoring	Sampling Location	:
Sample Condition	: Good	Sampling Procedure	: IS 8528
Sample Quantity	: NA	Equipment Used	: CVR/CH/ 059
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.No	Name of the Location	Noise Level in dB(A)	
		ON Condition	OFF Condition
1	DG Stack 250 KVA	73.5	60.0
2	DG Stack 320 KVA	73.9	61.8

[Signature]
06/03/2023 (G. Dmran)
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

[Signature]
K.B. NIRMALA
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvglabs.com 🌐www.cvglabs.com

TEST REPORT

Page 1 of 1

Report: 23030014.18

Discipline : Chemical

ULR-TC76182300000960F

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address: **M/s. Anjan Drug Private Ltd - Unit-I,**
Plot No. 109, 110,115 & 116, SIDCO Pharmaceutical Industrial Estate, Old
Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030014.18 Sampled On : 01/03/2023
Sample Name : - Sample Received On : 02/03/2023
Sample Description : Indoor Air Quality Sampling Location : Cyclone Separator (or) Dryer
Sample Condition : Good Sampling Procedure : CVR/ENV/SOP/011
Sample Quantity : NA Equipment Used : CVR/CH/065
Sampled By : CVR Labs Test Started On : 03/03/2023
Customer Code : NA Test Completed On : 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NIOSH AND OSHA
1	Total dust	NIOSH 0500	mg/m ³	3.9	15
2	Sulphur Dioxide as SO ₂	NIOSH - 6004	mg/m ³	BDL(DL:0.5)	0.763
3	Nitrogen dioxide as NO ₂	NIOSH - 6014	mg/m ³	BDL(DL:1)	13.3
4	Heat Stress	OSHA Method Chapter 04	°C	28.33	-
5	Carbon monoxide (CO)	EPA Compendium Method IP-3A,3C	ppm	BDL(DL:0.1)	50
6	Carbon Dioxide (CO ₂)	EPA Compendium Method IP-3A,3C	ppm	830	5000
7	Oxygen as O ₂	CVR/SOP/ENV/100	%	20.9	-
8	Relative Humidity	CVR/SOP/ENV/095	%	45	-
9	Temperature	CVR/SOP/ENV/100	°C	31	-

BDL : Below Detection Limit DL : Detection Limit.

(G. Dmran)
06/03/2023
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

(K. Nirmala)
06/03/2023
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

052316

TEST REPORT

Page 1 of 5

Report No: 23030014.01

Discipline : Chemical

ULR-TC761823000000948F

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I.,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code : 23030014.01

Sampled On : 01/03/2023

Sample Name : Ambient Air Quality
Monitoring

Sample Received On : 02/03/2023

Sample Description : Ambient Air Quality
Monitoring

Sampling Location : Near Nitrogen Generation
Plant

Sample Condition : Good

Sampling Procedure : IS 5182

Sample Quantity : NA

Equipment Used : CVR/CH/020

CVR/CH/030

Sampled By : CVR Labs

Test Started On : 03/03/2023

Customer Code : NA

Test Completed On : 06/03/2023

SL.NO	TEST PARAMETER (S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	28.45	80
2	Nitrogen dioxide as NO ₂	IS 5182(Part-6)	µg/m ³	41.87	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	58.67	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	22.70	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON- dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit DL : Detection Limit. NAAQS : National Ambient Air Quality Standard

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009, against the above tested parameters.

Anjan
06/03/2023 (G. Anjan)
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nithya K.B
K.B. NITHYA
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 2 of 5

Report No: 23030014.02

Discipline : Chemical

ULR-TC76182300000949F

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I.,

Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.02	Sampled On	: 01/03/2023
Sample Name	: Ambient Air Quality Monitoring	Sample Received On	: 02/03/2023
Sample Description	: Ambient Air Quality Monitoring	Sampling Location	: Near Engineering Store
Sample Condition	: Good	Sampling Procedure	: IS 5182
Sample Quantity	: NA	Equipment Used	: CVR/CH/021 CVR/CH/032
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	27.36	80
2	Nitrogen dioxide as NO ₂	IS 5182(Part-6)	µg/m ³	45.75	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	55.29	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	28.03	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON- dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit **DL** : Detection Limit **NAAQS** : National Ambient Air Quality Standard.

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009, against the above tested parameters.

Anjan
06/03/2023 (G. Dmran)
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala K.R
K.B. NIRMALA
06/03/2023
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not be used in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ☉info@cvrlabs.com 🌐www.cvrlabs.com

052318

TEST REPORT

Page 3 of 5

Report No: 23030014.03

Discipline : Chemical

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I.,
Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Report Date: 06/03/2023

Group: Atmospheric pollution

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.03	Sampled On	: 01/03/2023
Sample Name	: Ambient Air Quality Monitoring	Sample Received On	: 02/03/2023
Sample Description	: Ambient Air Quality Monitoring	Sampling Location	: Near STP Plant Area
Sample Condition	: Good	Sampling Procedure	: IS 5182
Sample Quantity	: NA	Equipment Used	: CVR/CH/022 CVR/CH/033
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER (S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	22.37	80
2	Nitrogen dioxide as NO ₂	IS 5182(Part-6)	µg/m ³	38.68	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	51.22	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	27.37	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON- dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit DL : Detection Limit. NAAQS : National Ambient Air Quality Standard.

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009, against the above tested parameters.

Anura
06/03/2023 (G. Imran)

Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

Nirmala K.B
K.B NIRMALA
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

TEST REPORT

Page 4 of 5

Report No: 23030014.04

Discipline : Chemical

ULR-TC76182300000951F

Report Date: 06/03/2023

Group: Atmospheric pollution

CUSTOMER DETAILS

Customer Name & Address:

M/s. Anjan Drug Private Ltd - Unit-I,
Plot No. 109, 110, 115 & 116, SIDCO Pharmaceutical Industrial Estate,
Old Mamallapuram Road, Alathur - 603 110.

Customer Reference: NA

SAMPLE DETAILS

Sample Code	: 23030014.04	Sampled On	: 01/03/2023
Sample Name	: Ambient Air Quality Monitoring	Sample Received On	: 02/03/2023
Sample Description	: Ambient Air Quality Monitoring	Sampling Location	: Near Boiler House Area
Sample Condition	: Good	Sampling Procedure	: IS 5182
Sample Quantity	: NA	Equipment Used	: CVR/CH/024 CVR/CH/034
Sampled By	: CVR Labs	Test Started On	: 03/03/2023
Customer Code	: NA	Test Completed On	: 06/03/2023

SL.NO	TEST PARAMETER(S)	TEST METHOD	UNIT	RESULTS	SPECIFICATION AS PER NAAQS
1	Sulphur Dioxide as SO ₂	IS 5182(Part-2)	µg/m ³	28.52	80
2	Nitrogen dioxide as NO ₂	IS 5182(Part-6)	µg/m ³	44.25	80
3	Particulate Matter (PM ₁₀)	IS 5182(Part-23)	µg/m ³	57.90	100
4	Particulate Matter (PM _{2.5})	IS 5182(Part-24)	µg/m ³	29.44	60
5	Ozone(O ₃)	IS 5182(Part-9)	µg/m ³	BDL(DL:10)	100
6	Lead as Pb	IS 5182 (Part-22)	µg/m ³	BDL(DL:0.4)	1
7	Carbon monoxide(CO)	IS 5182(Part-10) : Clause 4/NON-dispersive infrared Absorption Method	mg/m ³	< 1.2	2
8	Ammonia as NH ₃	IS 5182(Part-25) Indophenol method	µg/m ³	BDL(DL:20)	400
9	Benzene(C ₆ H ₆)	IS 5182 (Part-11)	µg/m ³	BDL(DL:0.1)	-
10	Benzo(a) Pyrene (Particulate Phase)	IS 5182 (Part-12)	ng/m ³	BDL(DL:1.0)	-
11	Arsenic as As	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-
12	Nickel as Ni	IS 5182(Part-23)	ng/m ³	BDL(DL:1.0)	-

BDL : Below Detection Limit DL : Detection Limit. NAAQS : National Ambient Air Quality Standard.

Remarks : The above Sample complies as per NAAQS limit which is provided in the environmental protection rule 3(3B) Nov.2009, against the above tested parameters.

Anjan
06/03/2023 (G. Dhanan)
Verified By

***** END OF REPORT *****

For CVR LABS (P) LIMITED

K.B. Nirmala
K.B. NIRMALA
Authorised Signatory
06/03/2023

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicate within 7 days. Separate report will be issue for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.